



API Documentation

V1.1

August 22nd, 2014



Table of Contents

API Endpoints (URL's)	3
Output Formats	3
Error Codes	3
/account-info	4
/account-activity	5
/account-sponsor-matching	7
/campaigns	8
/campaign-info	11
/campaign-tickets	13
/fundraisers	14
/fundraiser-info	17
/teams	19
/team-info	21
/team-create	23
/donations	24
/recurring	27
/project-info	29
/fb-friend-activity	30



API Endpoints (URL's)

Make your API calls to the following endpoint (base url).

<https://www.stayclassy.org/api1/>

Output Formats

Currently all APIs output in JSON format.

Error Codes

If an error is encountered a response of `status_code=failure` will be returned with an error code.

Error codes TBD



/account-info

Get all the details about a specific charity account.

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account

Example:

<https://www.stayclassy.org/api1/account-info?cid=XXXX&token=xxxxxxxxxxxxxxxxxxxx>

Response:

Response	Format	Description
status_code	String	Success or Failure
id	Int	Unique identifier of your charity account
name	String	Name of the charity organization
charity_url	String	URL link to the charity profile page
address	String	Street address
city	String	City
state	String	State of the charity
zip	Int	Postal Code
charity_image_small	String	URL of charity logo (30px x 30px)
charity_image_medium	String	URL of charity logo (60px x 60px)
charity_image_large	String	URL of charity logo (186px x 186px)
total_raised	Float	The total \$ raised for the charity across all campaigns/events
total_active_events	Int	Number of active campaigns/events
total_supporters	Int	The Total # of supporters for the charity across all campaigns/events
total_fund_pages	Int	The Total # of fundraising pages created across all campaigns/events
total_fund_teams	Int	The total # of team fundraising pages created across all campaigns/events



/account-activity

Get all site activity for a specific account, campaign, designation, individual fundraising page, or fundraising team. Results returned based on most recent activity.

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for the charity account
cid	Yes	Int	Unique identifier of the charity account
eid	No	Int	Filters site activity by a specific campaign/event
pid	No	Int	Filters site activity by a project/designation
fcid	No	Int	Filters site activity by a fundraising page
ftid	No	Int	Filters site activity by a fundraising team
limit	No	Int	Limits the number of results returned
type	No	Int	Filters the results by a specific activity type 3 = campaigns created 4 = comments 15 = donations 16 = ticket purchased 22 = individual fundraising page created 23 = fundraising team page created

Example:

[https://www.stayclassy.org/api1/account-activity?
token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&limit=10&type=22](https://www.stayclassy.org/api1/account-activity?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&limit=10&type=22)



Response:

Response	Format	Description
status_code	String	Success or Failure
activity	Array	Array of all site activity entries

activity[]

activity_id	Int	Unique ID of the site activity record
type	Int	The type of the site activity
member_id	Int	Unique ID of the member who the activity refers to
member_image_small	String	Member image URL (30px x 30px)
member_image_medium	String	Member image URL (60px x 60px)
member_image_large	String	Member image URL (186px x 186px)
activity_string	String	The string as it appears in the wall site activity
url	String	URL to the page where the activity occurred



/account-sponsor-matching

Get information about matching sponsors for a campaign/event

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for the charity account
cid	Yes	Int	Unique identifier of the charity account
eid	Yes	Int	Campaign ID

Example:

[https://www.stayclassy.org/api1/account-sponsor-matching?
token=xxxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX](https://www.stayclassy.org/api1/account-sponsor-matching?token=xxxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX)

Response:

Response	Format	Description
status_code	String	Success or Failure
sponsors	Array	Array of all matching sponsors

sponsors[]

matching_id	Int	The unique ID of the matching campaign
sponsor_name	Int	Name of the sponsor
sponsor_image_small	String	URL of the sponsor logo (30px x 30px)
sponsor_image_medium	String	URL of the sponsor logo (60px x 60px)
sponsor_image_large	String	URL of the sponsor logo (186px x 186px)
matching_limit	Float	Amount of money the sponsor will match up to
start_date	DateTime	Date the matching starts
end_date	DateTime	Date the matching ends
matched	Float	Total \$ matched



/campaigns

Get an array of all campaigns and events for a charity account.

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for the charity account
cid	Yes	Int	Unique identifier of the charity account
eid	no	Int	Return information on a single campaign
q	No	String	The string to search against
zip	No	Int	For location based searches
within	No	Int	If passing in a zip, specifies the distance to search in miles within that zip
limit	No	Int	Limits the # of results returned

Example:

<https://www.stayclassy.org/api1/campaigns?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx>

Response:

Response	Format	Description
status_code	String	Success or Failure
campaigns	Array	Array of campaigns

campaigns[]

id	Int	Unique identifier of the campaign/event
name	String	Name of the campaign/event
start_date	DateTime	Start date of the campaign/event
end_date	DateTime	End date of the campaign/event
event_url	String	URL link to the campaign/event page
charity_id	Int	Unique ID of the charity



charity_name	String	Name of the charity
goal	Float	Fundraising goal of the campaign/event
host_id	Int	Unique member ID of the host of the campaign/event
host_name	String	Member name of the host of the campaign/event
venue	String	Name of Venue
address	String	Street address of the charity
city	String	City of the charity
state	String	State of the charity
zip	Int	Zip code of the charity
event_image_small	String	listing image URL (30px x 30px)
event_image_medium	String	listing image URL (60px x 60px)
event_image_large	String	listing image URL (186px x 186px)
event_type_id	Int	Designates the type of campaign (1=ticketed event, 2=registration event, 3=fundraise for entry event, 4=fundraising campaign, 5=donation page)
total_raised	Float	The total \$ raised for the campaign/event
total_attending	Int	Total attendees to this campaign/event
total_fund_pages	Int	The Total # of fundraising pages created for this campaign/event
total_fund_teams	Int	The total # of team fundraising pages created for this campaign/event
num_donations	Int	Total number of donations including online and offline
num_donors	Int	Total number of unique donors to the campaign/event including online and offline
designations	array	Projects (also known as designations for this campaign)



designations[]

designation_id	Int	The unique ID of the designation
designation_name	String	Name of the designation



/campaign-info

Get all the specific details about a campaign or event

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for the charity account
cid	Yes	Int	Unique identifier of the charity account
eid	Yes	Int	The unique ID of the campaign

Example:

<https://www.stayclassy.org/api1/campaign-info?token=xxxxxxxxxxxxxxxxxxxx&cid=xxx&eid=xxx>

Response:

Response	Format	Description
status_code	String	Success or Failure
id	Int	Unique identifier of the campaign being requested
name	String	Name of the campaign/event
start_date	DateTime	Start Date of the campaign/event
end_date	DateTime	End Date of the campaign/event
event_url	String	URL link to the campaign/event
charity_id	Int	Unique ID of the charity
charity_name	String	Name of the charity
goal	Float	Fundraising goal of the campaign/event
host_id	Int	Unique member ID of the host of the campaign
host_name	String	Member name for the host of the campaign/event
venue	String	Name of venue
address	String	Address of the charity
city	String	City of the charity
state	String	State of the charity
zip	Int	Zip code of the charity
event_image_small	String	listing image URL (30px x 30px)
event_image_medium	String	listing image URL (60px x 60px)
event_image_large	String	listing image URL (186px x 186px)



event_type_id	Int	Designates the type of campaign (1=ticketed event, 2=registration event, 3=fundraise for entry event, 4=fundraising campaign, 5=donation page)
total_raised	Float	The total \$ raised for campaign/event
total_tickets	Int	Total tickets sold to this campaign/event
total_attending	Int	Total attendees if an event
total_fund_pages	Int	The Total # of fundraising pages created for this campaign/event
total_fund_teams	Int	The total # of team fundraising pages created for this campaign/event
num_donations	Int	Total number of donations including online and offline
num_donors	Int	Total number of unique donors to the campaign including online and offline
projects	array	Projects (also known as designations for this campaign)

projects[]

designation_id	Int	The unique ID of the designation
designation_name	String	Name of the designation



/campaign-tickets

Get an array of all tickets for a specified campaign/event

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for the charity account
cid	Yes	Int	The unique ID of the charity
eid	Yes	Int	The unique ID of the campaign/event to retrieve tickets for

Example:

<https://www.stayclassy.org/api1/campaign-tickets?cid=XXXX&token=xxxxxxxxxxxxxxxx&eid=xxxx>

Response:

Response	Format	Description
status_code	String	Success or Failure
tickets	Array	Array of tickets

tickets[]

ticket_id	Int	Unique identifier of each ticket
ticket_name	String	Name of the ticket
ticket_price	Float	Ticket price per ticket
charity_percent	Int	% of the ticket price designated as a donation
quantity available	Int	Qty of tickets available for sale
total_sold	Int	Qty of tickets sold
start_date	DateTime	Date for ticket sales to start
end_date	DateTime	Date for ticket sales to end



/fundraisers

Get array of individual fundraising pages for a specific charity, campaign/event, designation or member

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for the charity account
cid	Yes	Int	Unique identifier of the charity account
eid	No	Int	The unique ID of the campaign/event you want to filter results by
fcid	No	Int	Fundraising page ID to filter results by
pid	No	Int	Program/Designation ID to filter results by
fb_uid	No	Int	The Facebook ID of the member to filter results by
mid	No	Int	Member ID to filter results by
email	No	String	The email address of the member to filter results by
q	No	String	The search string
limit	No	Int	The qty of fundraisers to be returned. Defaults to 20. Set limit=0 to return all fundraisers
featured	No	Bit	If=1, returns only featured fundraisers
cre_date_start	No	DateTime	Fundraiser creation date: Beginning date range for results
cre_date_end	No	DateTime	Fundraiser creation date: End date range for results
goal_reached	No	Bit	If =1, returns all pages that have met their fundraising goal
goal_not_reached	No	Bit	If =1, returns all pages that have not met their fundraising goal
near_goal	No	Bit	If =1, then returns fundraisers that are >= 60% towards their goal
needs_help	No	Bit	If =1, then returns fundraisers that are < 60% towards their goal
order	No	String	Sorts the results: (firstname, lastname, total_raised, most_recent) Sorts by total_raised by default



Example:

<https://www.stayclassy.org/api1/fundraisers?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX&limit=XX&featured=1>

Response:

Response	Format	Description
status_code	String	Success or Failure
fundraisers	Array	Array of all fundraising pages

fundraisers[]

fundraising_campaign_id	Int	Unique ID for the fundraising page
fundraiser_url	String	URL of the fundraising page
donation_url	String	URL to make a donation directly to fundraiser
page_title	String	Page Title
member_id	Int	Unique member ID of the person who manages the fundraising page
first_name	String	First name of the page creator
last_name	String	Last name of the page creator
member_email	String	Email address of the page creator
member_address	String	Street address for the page creator
member_city	String	City of the page creator
member_state	String	State of the page creator
member_zip	Int	Zip of the page creator
member_country	String	Country of the page creator
member_image_small	String	Member image URL (30px x 30px)
member_image_medium	String	Member image URL (60px x 60px)
member_image_large	String	Member image URL (186px x 186px)
charity_id	Int	Unique ID of the charity
charity_name	String	Name of the charity
did	Int	Unique ID of the designation
designation_name	String	Name of the designation
campaign_id	Int	Unique ID of the campaign
campaign_name	String	Name of the campaign
team_id	Int	Unique ID of the team page
team_name	String	Name of the team page the fundraiser is on. Null if not on a team
goal	Float	The goal set by the individual fundraiser
total_raised	Float	The total \$ raised by the fundraiser



num_donors	Int	Total number of donations to this individual fundraising page
-------------------	-----	---



/fundraiser-info

Get the details for a specific individual fundraising page

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
fcid	Yes	Int	The unique ID of the individual fundraising page

Example:

<https://www.stayclassy.org/api1/fundraiser-info?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&fid=XXXX>

Response:

Response	Format	Description
status_code	String	Success or Failure
fundraising_campaign_id	Int	Unique ID for the fundraising page
fundraiser_url	String	URL of the fundraising page
donation_url	String	URL to make a donation directly to fundraiser
page_title	String	Page Title
member_id	Int	Unique member ID of the person who manages the fundraising page
member_name	String	Name of the member who created the page
member_email	String	Email address of the member who created the page
member_image_small	String	Member image URL (30px x 30px)
member_image_medium	String	Member image URL (60px x 60px)
member_image_large	String	Member image URL (186px x 186px)
charity_id	Int	Unique ID of the charity
charity_name	String	Name of the charity
project_id	Int	Unique ID of the project/designation
project_name	String	Name of the project/designation
event_id	Int	Unique ID of the campaign/event
event_name	String	Name of the campaign/event
goal	Float	The goal set by the individual fundraiser



total_raised	Float	The total \$ raised by the fundraiser
num_donors	Int	Total number of donations to this individual fundraising page



/teams

Get a list of the top fundraising teams ranked by total \$ raised for a specific campaign

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
eid	No	Int	The unique ID of the campaign to filter results by
ftid	No	Int	Fundraising page ID to filter results by
mid	No	Int	Member ID to filter results by
limit	No	Int	The number of results to be returned
order	No	String	Return results based on a certain order

Example:

[https://www.stayclassy.org/api1/teams?
token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX&limit=xx](https://www.stayclassy.org/api1/teams?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX&limit=xx)

Response:

Response	Format	Description
status_code	String	Success or Failure
teams	Array	Array of teams

teams[]

fundraising_team_id	Int	Unique ID for the fundraising team page
team_name	Int	Unique ID of the member who manages the fundraising page
team_url	String	URL of the team page
join_url	String	URL to create an individual fundraising page as part of the team
donation_url	String	Donation checkout URL for the team
team_image_small	String	URL link of the team photo (50px x 33px)



team_image_medium	String	URL link of the team photo (125px x 83px)
team_image_large	String	URL link of the team photo (315px x 210px)
lead_member_id	Int	Unique member ID of the team captain of the page
lead_member_name	String	Name of the captain who manages the team
lead_member_email	String	Email of the captain who manages the team
charity_id	Int	Unique ID of the charity
charity_name	String	Name of the charity
project_id	Int	Unique ID of the project/designation
project_name	String	Name of the project/designation
event_id	Int	Unique ID of the campaign/event
event_name	String	Name of the campaign/event
goal	Float	The goal set by the captain for the team
total_raised	Float	The total \$ raised by the fundraising team
num_members	Int	Total # of members on the team
category_id	Int	Category ID for the team
category_name	String	Name of the category of the team



/team-info

Get the details for a specific fundraising team page

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
ftid	Yes	Int	The unique ID of the fundraising team ID

Example:

<https://www.stayclassy.org/api1/team-info?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&tid=XXXX>

Response:

Response	Format	Description
status_code	String	Success or Failure
fundraising_team_id	Int	Unique ID for the fundraising team page
team_name	String	Name of the fundraising team page
team_url	String	URL of the team fundraising page
join_url	String	URL to create an individual fundraising page as part of the team
donation_url	String	URL to make a donation directly to fundraiser
team_lead_id	Int	Unique member ID of the person who manages the fundraising page
team_lead_name	String	Name of the member who manages the page
team_lead_email	String	Email address of the team lead
team_image_small	String	Team image URL (50px x 33px)
team_image_medium	String	Team image URL (125px x 83px)
team_image_large	String	Team image URL (315px x 210px)
charity_id	Int	Unique ID of the charity
charity_name	String	Name of the charity
project_id	Int	Unique ID of the project/designation
project_name	String	Name of the project/designation
event_id	Int	Unique ID of the event/campaign
event_name	String	Name of the event/campaign



goal	Float	The goal set by the individual fundraiser
total_raised	Float	The total \$ raised by the fundraiser
num_donors	Int	Total number of donations to this individual fundraising page



/team-create

Create a fundraising team

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
eid	Yes	Int	Campaign id to associate team to
team_name	Yes	String	Name of the team
goal	Yes	Float	Fundraising goal of the team
email	No	String	Email address for the captain of the team. If the email exists in our system then user will get assigned as captain

Example:

https://www.stayclassy.org/api1/team-create?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=xxxx&team_name=xxxxxx&goal=xxxxx&email=xxxxx

Response:

Response	Format	Description
status_code	String	Success or Failure
team_id	Int	The unique team fundraising id



/donations

Get array of donations over a specific date range

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
eid	No	Int	The unique ID of the campaign
fcid	No	Int	Fundraising page ID to filter results by
ftid	No	Int	Fundraising team page ID to filter results by
oid	No	Int	The order ID to filter results by a single transaction
mid	No	Int	The member ID to filter results by
start_date	No	DateTime	The beginning date range of donations to be returned
end_date	No	DateTime	The end date range of donations to be returned
show_anonymous	No	Bit	If = 0, then will omit all anonymous donations
limit	No	Int	The number of results to be returned. If not specified, defaults to 10.

Example:

[https://www.stayclassy.org/api1/donations?
token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX&limit=xx](https://www.stayclassy.org/api1/donations?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX&limit=xx)

Response:

Response	Format	Description
status_code	String	Success or Failure
donations	Array	Array of donations

donations[]

order_id	Int	Unique ID for the transaction
donation_date	DateTime	Date of donation
member_id	Int	Unique ID for the member account



first_name	String	Billing First Name
last_name	String	Billing Last Name
email	String	Donors Email address
address	String	Billing Street Address
address2	String	Billing Address2
city	String	Donor City
state	String	Donor State
zip	Int	Donor Zip
country	String	Donor Country
designation_id	Int	Designation/Project ID
designation_name	String	Name of the designation/project
event_id	Int	Campaign/Event ID
event_name	String	Name of the event/campaign
fundraiser_title	String	Page title of the fundraising page
fundraiser	String	Fundraiser name
fundraiser_id	Int	Fundraising page ID
team_name	String	Name of the fundraising team
team_captain	String	Team captain name
team_id	Int	Fundraising team page ID
recurring_id	Int	If a recurring donation, ID of the recurring profile
donate_amount	Float	Donation amount
fees	Float	Transaction fees including credit card and StayClassy fees
event_costs	Float	Any costs identified as non-donation
net_donation	Float	Net donation after fees and event_costs
gateway_authorization	String	Authorization number from the gateway
status	Int	Current Status of the Order (5=complete, 6=refund, 7=chargeback lost, 8=chargeback initiated)
payment_type	String	Used for offline donations (payment type)
check_number	Int	Offline check number
description	String	Offline description
dedication_type	String	In honor of or in memory of
dedication_name	String	The person who the donation was dedicated to
dedication_contact	String	Who to contact for the dedication
dedication_email	String	The email address of who to contact



dedication_address	String	The street address of who to contact
dedication_city	String	The city of who to contact
dedication_state	String	The state of who to contact
dedication_zip	Int	The zip of who to contact
dedication_country	String	The country of who to contact
include_gift_amount	Bit	1= donor request to include gift amount in correspondence
member_image_small	String	Donor image URL (30px x 30px)
member_image_medium	String	Donor image URL (60px x 60px)
member_image_large	String	Donor image URL (186px x 186px)
comment	String	Comment entered by the donor at the time of the transaction



/recurring

Get array of recurring donation profiles

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
eid	No	Int	The unique ID of the campaign
mid	No	Int	The member ID to filter results by
rid	No	Int	The recurring ID if you want to return a single record
limit	No	Int	The number of results to be returned. If not specified, defaults to 10. Max limit of 1000

Example:

[https://www.stayclassy.org/api1/recurring?
token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX&limit=xx](https://www.stayclassy.org/api1/recurring?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&eid=XXXX&limit=xx)

Response:

Response	Format	Description
status_code	String	Success or Failure
profiles	Array	Array of recurring donation profiles

profiles[]

recurring_id	Int	Unique ID for the transaction
member_id	Int	Unique ID for the member account
member_name	String	Members name who created profile
email	String	Donors email address
charity_id	Int	Charity ID
event_id	Int	Event/campaign ID
designation_id	Int	Designation ID
fundraiser_id	Int	Fundraising page ID
team_id	Int	Fundraising team page ID
first_month_amount	Float	The amount of the donation when first created



current_amount	Float	Donation amount currently set for profile
start_date	DateTime	Date the recurring profile was created
cancel_date	DateTime	If status is cancelled, this would be date of cancellation
last_failed_payment_date	DateTime	When the last payment attempt fails, this will show the date of that last failed attempt
status	String	Active or cancelled



/project-info

Get all the details about a specific project. Projects are also referred to as designations and terminology is sometimes interchanged on StayClassy.

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
pid	Yes	Int	The unique ID of the project/designation to retrieve summary information for

Example:

<https://www.stayclassy.org/api1/project-info?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&pid=XXXX>

Response:

Response	Format	Description
status_code	String	Success or Failure
id	Int	Unique ID of the project/designation
project_name	String	Name of the project/designation
charity_id	Int	The unique ID of the charity this project/designation is associated to
charity_name	String	The name of the charity this project/designation is associated with
total_raised	Float	Total \$ raised for the project/designation
total_fund_pages	Int	The total # of fundraising pages associated with this project/designation



/fb-friend-activity

Get list of all fundraising pages and donations made by friends on StayClassy for a given facebook ID

Arguments:

Parameter	Required	Format	Description
token	Yes	String	A valid API token for your charity account
cid	Yes	Int	Unique identifier of your charity account
eid	No	Int	Filters results by a specific campaign ID
fb_uid	Yes	Int	Facebook ID of current logged in user
friends_ids	Yes	Comma separated list or Array	List of friends ID's to check if they have a fundraising page
type	No	String	Empty, fundraisers or donations

Example:

https://www.stayclassy.org/api1/fb-friend-activity?token=xxxxxxxxxxxxxxxxxxx&cid=xxxx&fb_uid=XXXX

Response:

Response	Format	Description
status_code	String	Success or Failure
fundraisers	Array	Array of Friends that also have fundraising pages
donations	Array	Array of donations that the users friends made

fundraisers []

fundraising_campaign_id	Int	Unique ID for the fundraising page
member_id	Int	Unique member ID of the person who manages the fundraising page
member_name	String	Name of the member who manages the page



page_title	String	Page title of the fundraising page
member_image_small	String	Member image URL (30px x 30px)
member_image_medium	String	Member image URL (60px x 60px)
member_image_large	String	Member image URL (186px x 186px)
fundraiser_url	String	Link to the fundraising page of the friend
donation_url	String	Direct link to the checkout page for this friends fundraising page
charity_id	Int	Unique ID of the charity
charity_name	String	Name of the charity
project_id	Int	Unique ID of the project/designation
project_name	String	Name of the project/designation
event_id	Int	Unique ID of the event/campaign
event_name	String	Name of the event/campaign
goal	Float	The goal set by the individual fundraiser
total_raised	Float	The total \$ raised by the fundraiser
num_donations	Int	Total number of donations to this individual fundraising page

donations []

order_id	Int	Unique identifier of the transaction
first_name	String	Donors first name
last_name	String	Donors last name
donation_date	DateTime	Time stamp of the transaction
donate_amount	Float	The donation amount
in_honor_of	String	Name of the honoree of the donation
fundraiser	String	The member name of the fundraiser that received the donation. If 0, then donation



		made directly to the campaign
member_image_small	String	Member image URL (30px x 30px)
member_image_medium	String	Member image URL (60px x 60px)
member_image_large	String	Member image URL (186px x 186px)